

Ananda Farms

Williams, OR 97544
Lic. # 100019879F7

Sample: C04257

Strain: Oregon Diesel
Batch #: 1A401030000083600000989; Batch Size: 4600 - grams
Ordered: 08/03/2017; Sampled: 08/03/2017; Completed: 08/15/2017; Expires: 08/15/2018

Oregon Diesel

Plant, Flower - Cured, Light Deprivation

Harvest Process Lot: OD 6/9; METRC Batch: 1A401030000083600000989; METRC Sample: 1A401030000083600000993



15.4%

Total THC

0.1%

Total CBD

Cannabinoids

Pass

Analyte	LOQ	Mass	Mass
	mg/g	%	mg/g
THCa	1	16.7	167
Δ9-THC	1	0.7	7
CBD	1	0.1	1
CBDa	1	<LOQ	<LOQ
CBC		NR	NR
CBCa		NR	NR
CBG		NR	NR
CBN	1	<LOQ	<LOQ
THCV		NR	NR
CBGa		NR	NR
Δ8-THC		NR	NR

Surrogate standard recovery (Acceptance criteria: 90 - 110%)101.2%

08/11/2017 00:00:00

170810-CANN

Cannabinoids Method: HPLC using an Agilent 1100 with DAD. Deviations from standard method or conditions: None. Recoveries for all analytes: 90-110%. Recoveries for internal standard: 90 - 110%. Uncertainties (based upon replicate recoveries) < 5% RSD. Sample and reagent blanks: < LOQ for all analytes. Values for plant matter are adjusted for moisture content. Total THC = THCa * 0.877 + Δ9-THC, Total CBD = CBDa * 0.877 + CBD. Abbreviations: LOQ = Limit of Quantitation, DAD = Diode Array Detector, HPLC = High Pressure Liquid Chromatography, RSD = Relative Standard Deviation, NR = Not Reported. OG Analytical accreditation extends to the following analytes: THC, THCA, CBD, CBDA, and CBN.



Certificate of Analysis



Certificate number 4093
Effective date 9/2/2016

This sample has been tested according to OAR 333-007.

2 of 11

Ananda Farms

Williams, OR 97544
Lic. # 100019879F7

Sample: C04257

Strain: Oregon Diesel
Batch #: 1A401030000083600000989; Batch Size: 4600 - grams
Ordered: 08/03/2017; Sampled: 08/03/2017; Completed: 08/15/2017; Expires: 08/15/2018

Oregon Diesel

Plant, Flower - Cured, Light Deprivation
Harvest Process Lot: OD 6/9; METRC Batch: 1A401030000083600000989; METRC Sample: 1A401030000083600000993



Pesticides

Pass

Analyte	LOQ	Limit	Mass	Status	Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Abamectin	0.207	0.500	<LOQ	Pass	Hexythiazox	0.130	1.000	<LOQ	Pass
Acephate	0.389	0.400	<LOQ	Pass	Imazalil	0.052	0.200	<LOQ	Pass
Acequinocyl	0.389	2.000	<LOQ	Pass	Imidacloprid	0.052	0.400	<LOQ	Pass
Acetamiprid	0.052	0.200	<LOQ	Pass	Kresoxim Methyl	0.052	0.400	<LOQ	Pass
Aldicarb	0.052	0.400	<LOQ	Pass	MGK-264	0.052	0.200	<LOQ	Pass
Azoxystrobin	0.052	0.200	<LOQ	Pass	Malathion	0.026	0.200	<LOQ	Pass
Bifenazate	0.026	0.200	<LOQ	Pass	Metalaxyl	0.026	0.200	<LOQ	Pass
Bifenthrin	0.130	0.200	<LOQ	Pass	Methiocarb	0.026	0.200	<LOQ	Pass
Boscalid	0.259	0.400	<LOQ	Pass	Methomyl	0.130	0.400	<LOQ	Pass
Carbaryl	0.052	0.200	<LOQ	Pass	Methyl Parathion	0.052	0.200	<LOQ	Pass
Carbofuran	0.052	0.200	<LOQ	Pass	Myclobutanil	0.130	0.200	<LOQ	Pass
Chlorantraniliprole	0.156	0.200	<LOQ	Pass	Naled	0.130	0.500	<LOQ	Pass
Chlorfenapyr	0.052	1.000	<LOQ	Pass	Oxamyl	0.052	1.000	<LOQ	Pass
Chlorpyrifos	0.052	0.200	<LOQ	Pass	Paclobutrazol	0.078	0.400	<LOQ	Pass
Clofentezine	0.156	0.200	<LOQ	Pass	Permethrins	0.181	0.200	<LOQ	Pass
Cyfluthrin	0.052	1.000	<LOQ	Pass	Phosmet	0.052	0.200	<LOQ	Pass
Cypermethrin	0.052	1.000	<LOQ	Pass	Piperonyl Butoxide	0.052	2.000	<LOQ	Pass
Daminozide	0.907	1.000	<LOQ	Pass	Prallethrin	0.181	0.200	<LOQ	Pass
Diazinon	0.052	0.200	<LOQ	Pass	Propiconazole	0.259	0.400	<LOQ	Pass
Dichlorvos	0.130	1.000	<LOQ	Pass	Propoxur	0.026	0.200	<LOQ	Pass
Dimethoate	0.052	0.200	<LOQ	Pass	Pyrethrins	0.389	1.000	<LOQ	Pass
Ethoprophos	0.052	0.200	<LOQ	Pass	Pyridaben	0.052	0.200	<LOQ	Pass
Etofenprox	0.052	0.400	<LOQ	Pass	Spinosad	0.052	0.200	<LOQ	Pass
Etoxazole	0.026	0.200	<LOQ	Pass	Spiromesifen	0.052	0.200	<LOQ	Pass
Fenoxycarb	0.052	0.200	<LOQ	Pass	Spirotetramat	0.052	0.200	<LOQ	Pass
Fenpyroximate	0.026	0.400	<LOQ	Pass	Spiroxamine	0.052	0.400	<LOQ	Pass
Fipronil	0.052	0.400	<LOQ	Pass	Tebuconazole	0.052	0.400	<LOQ	Pass
Fonicamid	0.052	1.000	<LOQ	Pass	Thiacloprid	0.052	0.200	<LOQ	Pass
Fludioxonil	0.026	0.400	<LOQ	Pass	Thiamethoxam	0.052	0.200	<LOQ	Pass
					Trifloxystrobin	0.052	0.200	<LOQ	Pass

08/11/2017 00:00:00

170810-PEST

Pesticides Method: Sample preparation based upon AOAC 2007.01 with in-house SPE cleanup. Analytical determination performed using an Agilent 1100 HPLC with ABSciex 3200 LC-MS/MS.
QA/QC: Deviations from standard method or conditions: None. Recoveries for all analytes: 70-120%. Recoveries for internal standard: 80 - 110%. Uncertainties (based upon replicate recoveries) < 10% RSD. Sample and reagent blanks: < LOQ for all analytes. Abbreviations: LOQ = Limit of Quantitation, PPB = Parts Per Billion, ND = Not Determined, NA = Not Analyzed, RSD = Relative Standard Deviation; NR = Not Reported

2412 W 11th Ave.
Eugene, OR 97402
(541) 735-3328
<http://www.oganalytical.com>
OLCC Marijuana Laboratory License: License # 1002766BA93

Rodger Voelker, Ph.D
Lab Director

Confident Cannabis
All Rights Reserved
(866) 506-5866



www.confidentcannabis.com

Values reported relate only to the product tested. OG Analytical makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any analyte. This Certificate shall not be reproduced except in full, without the written approval of OG Analytical. In accordance to OAR-333-007 OG Analytical is accredited under the 2009 TNI standards to perform the following tests: Pesticides, Potency, Residual Solvents, Moisture, and Water Activity on Cannabis and Cannabis products.



Certificate of Analysis

This sample has been tested according to OAR 333-007.



Certificate number 4093
Effective date 9/2/2016

3 of 11

Ananda Farms

Williams, OR 97544
Lic. # 100019879F7

Sample: C04257

Strain: Oregon Diesel
Batch #: 1A4010300000836000000989; Batch Size: 4600 - grams
Ordered: 08/03/2017; Sampled: 08/03/2017; Completed: 08/15/2017; Expires: 08/15/2018

Oregon Diesel

Plant, Flower - Cured, Light Deprivation

Harvest Process Lot: OD 6/9; METRC Batch: 1A4010300000836000000989; METRC Sample: 1A4010300000836000000993



Moisture


9.3%


Moisture



08/11/2017 00:00:00

Moisture Method: Loss on drying using Sartorius Mark 3. Deviations from standard method or conditions: None. Uncertainties: Not determined. NR = Not Reported


2412 W 11th Ave.
Eugene, OR 97402
(541) 735-3328
<http://www.oganalytical.com>
OLCC Marijuana Laboratory License: License # 1002766BA93


Rodger Voelker, Ph.D
Lab Director

Confident Cannabis
All Rights Reserved
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. OG Analytical makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any analyte. This Certificate shall not be reproduced except in full, without the written approval of OG Analytical. In accordance to OAR-333-007 OG Analytical is accredited under the 2009 TNI standards to perform the following tests: Pesticides, Potency, Residual Solvents, Moisture, and Water Activity on Cannabis and Cannabis products.



Certificate of Analysis

This sample has been tested according to OAR 333-007.



Certificate number 4093
Effective date 9/2/2016

4 of 11

Ananda Farms

Williams, OR 97544
Lic. # 100019879F7

Sample: C04257

Strain: Oregon Diesel
Batch #: 1A4010300000836000000989; Batch Size: 4600 - grams
Ordered: 08/03/2017; Sampled: 08/03/2017; Completed: 08/15/2017; Expires: 08/15/2018

Oregon Diesel

Plant, Flower - Cured, Light Deprivation

Harvest Process Lot: OD 6/9; METRC Batch: 1A4010300000836000000989; METRC Sample: 1A4010300000836000000993



Water Activity

Pass

0.613
Water Activity



170810-CANN
08/11/2017 00:00:00

Water Activity Method: Chilled mirror dewpoint using Decagon AquaLab 3TE. Deviations from standard method or conditions: None. Uncertainties: ±0.003 aw. NR = Not Reported

2412 W 11th Ave.
Eugene, OR 97402
(541) 735-3328
<http://www.oganalytical.com>
OLCC Marijuana Laboratory License: License # 1002766BA93

Rodger Voelker, Ph.D
Lab Director

Confident Cannabis
All Rights Reserved
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. OG Analytical makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any analyte. This Certificate shall not be reproduced except in full, without the written approval of OG Analytical. In accordance to OAR-333-007 OG Analytical is accredited under the 2009 TNI standards to perform the following tests: Pesticides, Potency, Residual Solvents, Moisture, and Water Activity on Cannabis and Cannabis products.

Ananda Farms

Williams, OR 97544
Lic. # 100019879F7

Sample: C04257

Strain: Oregon Diesel
Batch #: 1A401030000083600000989; Batch Size: 4600 - grams
Ordered: 08/03/2017; Sampled: 08/03/2017; Completed: 08/15/2017; Expires: 08/15/2018

Oregon Diesel



Plant, Flower - Cured, Light Deprivation

Harvest Process Lot: OD 6/9; METRC Batch: 1A401030000083600000989; METRC Sample: 1A401030000083600000993



Terpenes

Analyte	LOQ	Mass	Mass
	mg/g	mg/g	%
β-Caryophyllene	0.02	5.49	0.549
R(+)-Limonene	0.01	4.04	0.404
α-Pinene	0.01	1.42	0.142
α-Humulene	0.02	1.27	0.127
Linalool	0.01	0.91	0.091
β-Pinene	0.01	0.85	0.085
β-Myrcene	0.01	0.74	0.074
α-Terpineol	0.01	0.54	0.054
Fenchol	0.01	0.39	0.039
trans-Nerolidol	0.02	0.34	0.034
α-Bisabolol	0.05	0.16	0.016
Borneol	0.01	0.05	0.005
Eucalyptol	0.01	0.05	0.005
Fenchone	0.01	0.04	0.004
Isoborneol	0.01	<LOQ	<LOQ
Terpinolene	0.01	<LOQ	<LOQ
3-Carene	0.01	<LOQ	<LOQ
α-Phellandrene	0.01	<LOQ	<LOQ
α-Terpinene	0.01	<LOQ	<LOQ
cis-Nerolidol	0.02	<LOQ	<LOQ
Caryophyllene Oxide	0.05	<LOQ	<LOQ
γ-Terpinene	0.01	<LOQ	<LOQ
cis-Ocimene	0.01	<LOQ	<LOQ
Camphene	0.01	<LOQ	<LOQ
trans-Ocimene	0.01	<LOQ	<LOQ
Guaiol	0.05	<LOQ	<LOQ



Terpenes Method: Static-headspace using a PerkinElmer HS40/Agilent 6890 GC/Agilent 5973 Mass Spectrometer. QA/QC: Deviations from standard method or conditions: None. Recoveries for internal standard: 80-110%. Uncertainties: Not determined. Reagent blanks: < LOQ for all analytes. Abbreviations: LOQ = Limit of Quantitation, ND = None Detected; NR = Not Reported



Certificate of Analysis

This sample has been tested according to OAR 333-007.



Certificate number 4093
Effective date 9/2/2016

6 of 11

Ananda Farms

Williams, OR 97544
Lic. # 100019879F7

Sample: C04257

Strain: Oregon Diesel
Batch #: 1A401030000083600000989; Batch Size: 4600 - grams
Ordered: 08/03/2017; Sampled: 08/03/2017; Completed: 08/15/2017; Expires: 08/15/2018

Oregon Diesel

Plant, Flower - Cured, Light Deprivation

Harvest Process Lot: OD 6/9; METRC Batch: 1A401030000083600000989; METRC Sample: 1A401030000083600000993



Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
170810-PEST		Required Pesticides	Blank

Compounds	Method Blank (ppb)	LCL (ppb)
Abamectin	0	2.5
Acephate	0	2.5
Acequinocyl	0	2.5
Acetamiprid	0	2.5
Aldicarb	0	2.5
Azoxystrobin	0	2.5
Bifenazate	0	2.5
Bifenthrin	0	2.5
Boscalid	0	2.5
Carbaryl	0	2.5
Carbofuran	0	2.5
Chlorantraniliprole	0	2.5
Chlorfenapyr	0	2.5
Chlorpyrifos	0	2.5
Clofentezine	0	2.5
Cyfluthrin	0	2.5
Cypermethrin	0	2.5
Daminozide	0	20
Diazinon	0	2.5
Dichlorvos	0	5

2412 W 11th Ave.
Eugene, OR 97402
(541) 735-3328
<http://www.oganalytical.com>
OLCC Marijuana Laboratory License: License # 1002766BA93



Rodger Voelker, Ph.D
Lab Director

Confident Cannabis
All Rights Reserved
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. OG Analytical makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any analyte. This Certificate shall not be reproduced except in full, without the written approval of OG Analytical. In accordance to OAR-333-007 OG Analytical is accredited under the 2009 TNi standards to perform the following tests: Pesticides, Potency, Residual Solvents, Moisture, and Water Activity on Cannabis and Cannabis products.



Certificate of Analysis

This sample has been tested according to OAR 333-007.



Certificate number 4093
Effective date 9/2/2016

7 of 11

Ananda Farms

Williams, OR 97544
Lic. # 100019879F7

Sample: C04257

Strain: Oregon Diesel
Batch #: 1A4010300000836000000989; Batch Size: 4600 - grams
Ordered: 08/03/2017; Sampled: 08/03/2017; Completed: 08/15/2017; Expires: 08/15/2018

Oregon Diesel

Plant, Flower - Cured, Light Deprivation

Harvest Process Lot: OD 6/9; METRC Batch: 1A4010300000836000000989; METRC Sample: 1A4010300000836000000993




Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
170810-PEST		Required Pesticides	Blank

Compounds	Method Blank (ppb)	LCL (ppb)
Dimethoate	0	2.5
Ethoprophos	0	2.5
Etofenprox	0	2.5
Etoxazole	0	2.5
Fenoxycarb	0	2.5
Fenpyroximate	0	2.5
Fipronil	0	2.5
Flonicamid	0	2.5
Fludioxonil	0	2.5
Hexythiazox	0	2.5
Imazalil	0	2.5
Imidacloprid	0	2.5
Kresoxim Methyl	0	2.5
Malathion	0	2.5
Metalaxyl	0	2.5
Methiocarb	0	2.5
Methomyl	0	2.5
Methyl Parathion	0	2.5
MGK-264	0	2.5
Myclobutanil	0	2.5

2412 W 11th Ave.
Eugene, OR 97402
(541) 735-3328
<http://www.oganalytical.com>
OLCC Marijuana Laboratory License: License # 1002766BA93




Rodger Voelker, Ph.D
Lab Director

Confident Cannabis
All Rights Reserved
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. OG Analytical makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any analyte. This Certificate shall not be reproduced except in full, without the written approval of OG Analytical. In accordance to OAR-333-007 OG Analytical is accredited under the 2009 TNi standards to perform the following tests: Pesticides, Potency, Residual Solvents, Moisture, and Water Activity on Cannabis and Cannabis products.



Certificate of Analysis

This sample has been tested according to OAR 333-007.



Certificate number 4093
Effective date 9/2/2016

8 of 11

Ananda Farms

Williams, OR 97544
Lic. # 100019879F7

Sample: C04257

Strain: Oregon Diesel
Batch #: 1A401030000083600000989; Batch Size: 4600 - grams
Ordered: 08/03/2017; Sampled: 08/03/2017; Completed: 08/15/2017; Expires: 08/15/2018

Oregon Diesel

Plant, Flower - Cured, Light Deprivation
Harvest Process Lot: OD 6/9; METRC Batch: 1A401030000083600000989; METRC Sample: 1A401030000083600000993



Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
170810-PEST		Required Pesticides	Blank

Compounds	Method Blank (ppb)	LCL (ppb)
Naled	0	2.5
Oxamyl	0	2.5
Paclobutrazol	0	2.5
Permethrins	0	2.5
Phosmet	0	2.5
Piperonyl Butoxide	0	2.5
Prallethrin	0	2.5
Propiconazole	0	2.5
Propoxur	0	2.5
Pyrethrins	0	2.5
Pyridaben	0	2.5
Spinosad	0	2.5
Spiromesifen	0	2.5
Spirotetramat	0	2.5
Spiroxamine	0	2.5
Tebuconazole	0	2.5
Thiacloprid	0	2.5
Thiamethoxam	0	2.5
Trifloxystrobin	0	2.5

2412 W 11th Ave.
Eugene, OR 97402
(541) 735-3328
<http://www.oganalytical.com>
OLCC Marijuana Laboratory License: License # 1002766BA93

Rodger Voelker, Ph.D
Lab Director

Confident Cannabis
All Rights Reserved
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. OG Analytical makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any analyte. This Certificate shall not be reproduced except in full, without the written approval of OG Analytical. In accordance to OAR-333-007 OG Analytical is accredited under the 2009 TNi standards to perform the following tests: Pesticides, Potency, Residual Solvents, Moisture, and Water Activity on Cannabis and Cannabis products.



Certificate of Analysis



Certificate number 4093
Effective date 9/2/2016

This sample has been tested according to OAR 333-007.

9 of 11

Ananda Farms

Williams, OR 97544
Lic. # 100019879F7

Sample: C04257

Strain: Oregon Diesel
Batch #: 1A4010300000836000000989; Batch Size: 4600 - grams
Ordered: 08/03/2017; Sampled: 08/03/2017; Completed: 08/15/2017; Expires: 08/15/2018

Oregon Diesel

Plant, Flower - Cured, Light Deprivation

Harvest Process Lot: OD 6/9; METRC Batch: 1A4010300000836000000989; METRC Sample: 1A4010300000836000000993



Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
170810-PEST		Required Pesticides	Lab Control Sample Duplicate

Compounds	LCS1 (ppb)	LCS2 (ppb)	Added (ppb)	LCS1 (% Recov)	LCS2 (%Recov)	LCS1 Status	LCS2 Status	RPD
Abamectin	88.3	71.6	115	76.8	62.3	Acceptable	Acceptable	20.9
Acephate	67.6	85.3	115	58.8	74.2	Acceptable	Acceptable	23.2
Acequinocyl	26.6	38.2	115	23.1	33.2	Acceptable	Acceptable	35.8
Acetamiprid	112.3	111	115	97.7	96.5	Acceptable	Acceptable	1.2
Aldicarb	109.3	108.3	115	95	94.2	Acceptable	Acceptable	0.9
Azoxystrobin	101.7	103.1	115	88.4	89.7	Acceptable	Acceptable	1.4
Bifenazate	122.3	120.2	115	106.3	104.5	Acceptable	Acceptable	1.7
Bifenthrin	103.8	100	115	90.3	87	Acceptable	Acceptable	3.7
Boscalid	109.4	104	115	95.1	90.4	Acceptable	Acceptable	5.1
Carbaryl	131.2	130.4	115	114.1	113.4	Acceptable	Acceptable	0.6
Carbofuran	123.1	120.7	115	107	105	Acceptable	Acceptable	2
Chlorantraniliprole	140.1	149.3	115	121.8	129.8	Acceptable	Acceptable	6.4
Chlorfenapyr	70.4	71.4	115	61.2	62.1	Acceptable	Acceptable	1.4
Chlorpyrifos	99.6	97.8	115	86.6	85	Acceptable	Acceptable	1.8
Clofentezine	97.9	91.9	115	85.1	79.9	Acceptable	Acceptable	6.3
Cyfluthrin	90.7	71.4	115	78.9	62.1	Acceptable	Acceptable	23.8
Cypermethrin	88.2	99.9	115	76.7	86.9	Acceptable	Acceptable	12.4
Daminozide	0.3	0	115	0.3	0	Acceptable	Acceptable	NA
Diazinon	94.7	95.8	115	82.3	83.3	Acceptable	Acceptable	1.2
Dichlorvos	115.5	95.1	115	100.4	82.7	Acceptable	Acceptable	19.4

2412 W 11th Ave.
Eugene, OR 97402
(541) 735-3328
<http://www.oganalytical.com>



OLCC Marijuana Laboratory License: License # 1002766BA93

Rodger Voelker, Ph.D
Lab Director

Confident Cannabis
All Rights Reserved
(866) 506-5866

www.confidentcannabis.com



Values reported relate only to the product tested. OG Analytical makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any analyte. This Certificate shall not be reproduced except in full, without the written approval of OG Analytical. In accordance to OAR-333-007 OG Analytical is accredited under the 2009 TNI standards to perform the following tests: Pesticides, Potency, Residual Solvents, Moisture, and Water Activity on Cannabis and Cannabis products.



Certificate of Analysis

This sample has been tested according to OAR 333-007.



Certificate number 4093
Effective date 9/2/2016

10 of 11

Ananda Farms

Williams, OR 97544
Lic. # 100019879F7

Sample: C04257

Strain: Oregon Diesel
Batch #: 1A4010300000836000000989; Batch Size: 4600 - grams
Ordered: 08/03/2017; Sampled: 08/03/2017; Completed: 08/15/2017; Expires: 08/15/2018

Oregon Diesel

Plant, Flower - Cured, Light Deprivation

Harvest Process Lot: OD 6/9; METRC Batch: 1A4010300000836000000989; METRC Sample: 1A4010300000836000000993



Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
170810-PEST		Required Pesticides	Lab Control Sample Duplicate

Compounds	LCS1 (ppb)	LCS2 (ppb)	Added (ppb)	LCS1 (% Recov)	LCS2 (%Recov)	LCS1 Status	LCS2 Status	RPD
Dimethoate	113.4	106.3	115	98.6	92.4	Acceptable	Acceptable	6.5
Ethoprophos	92.6	98.2	115	80.5	85.4	Acceptable	Acceptable	5.9
Etofenprox	67.7	108.3	115	58.9	94.2	Acceptable	Acceptable	46.1
Etoxazole	120.1	120.5	115	104.4	104.8	Acceptable	Acceptable	0.3
Fenoxycarb	120.4	116.9	115	104.7	101.7	Acceptable	Acceptable	2.9
Fenpyroximate	120.6	117.3	115	104.9	102	Acceptable	Acceptable	2.8
Fipronil	75.5	72.9	115	65.7	63.4	Acceptable	Acceptable	3.5
Flonicamid	99.8	96.2	115	86.8	83.7	Acceptable	Acceptable	3.7
Fludioxonil	102.4	96.7	115	89	84.1	Acceptable	Acceptable	5.7
Hexythiazox	134.6	123.4	115	117	107.3	Acceptable	Acceptable	8.7
Imazalil	83.1	82.9	115	72.3	72.1	Acceptable	Acceptable	0.2
Imidacloprid	90.3	86.7	115	78.5	75.4	Acceptable	Acceptable	4.1
Kresoxim Methyl	116.4	112.2	115	101.2	97.6	Acceptable	Acceptable	3.7
Malathion	106.7	100.7	115	92.8	87.6	Acceptable	Acceptable	5.8
Metalaxyl	109.2	109.8	115	95	95.5	Acceptable	Acceptable	0.5
Methiocarb	113.6	109.1	115	98.8	94.9	Acceptable	Acceptable	4
Methomyl	100.1	105.7	115	87	91.9	Acceptable	Acceptable	5.4
Methyl Parathion	98	94.5	115	85.2	82.2	Acceptable	Acceptable	3.6
MGK-264	90.5	89.7	115	78.7	78	Acceptable	Acceptable	0.9
Myclobutanil	97	100.4	115	84.3	87.3	Acceptable	Acceptable	3.4

2412 W 11th Ave.
Eugene, OR 97402
(541) 735-3328
<http://www.oganalytical.com>



OLCC Marijuana Laboratory License: License # 1002766BA93

Rodger Voelker, Ph.D
Lab Director

Confident Cannabis
All Rights Reserved
(866) 506-5866



www.confidentcannabis.com

Values reported relate only to the product tested. OG Analytical makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any analyte. This Certificate shall not be reproduced except in full, without the written approval of OG Analytical. In accordance to OAR-333-007 OG Analytical is accredited under the 2009 TNI standards to perform the following tests: Pesticides, Potency, Residual Solvents, Moisture, and Water Activity on Cannabis and Cannabis products.



Certificate of Analysis



Certificate number 4093
Effective date 9/2/2016

This sample has been tested according to OAR 333-007.

11 of 11

Ananda Farms

Williams, OR 97544
Lic. # 100019879F7

Sample: C04257

Strain: Oregon Diesel
Batch #: 1A4010300000836000000989; Batch Size: 4600 - grams
Ordered: 08/03/2017; Sampled: 08/03/2017; Completed: 08/15/2017; Expires: 08/15/2018

Oregon Diesel

Plant, Flower - Cured, Light Deprivation
Harvest Process Lot: OD 6/9; METRC Batch: 1A4010300000836000000989; METRC Sample: 1A4010300000836000000993



Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
170810-PEST		Required Pesticides	Lab Control Sample Duplicate

Compounds	LCS1 (ppb)	LCS2 (ppb)	Added (ppb)	LCS1 (% Recov)	LCS2 (%Recov)	LCS1 Status	LCS2 Status	RPD
Naled	59.8	70	115	52	60.9	Acceptable	Acceptable	15.7
Oxamyl	120.3	116.5	115	104.6	101.3	Acceptable	Acceptable	3.2
Paclobutrazol	114.5	113.5	115	99.6	98.7	Acceptable	Acceptable	0.9
Permethrins	89.6	92.5	115	77.9	80.4	Acceptable	Acceptable	3.2
Phosmet	115.1	108.6	115	100.1	94.4	Acceptable	Acceptable	5.8
Piperonyl Butoxide	114.6	107.5	115	99.7	93.5	Acceptable	Acceptable	6.4
Prallethrin	108.2	110.7	115	94.1	96.3	Acceptable	Acceptable	2.3
Propiconazole	104.4	97.4	115	90.8	84.7	Acceptable	Acceptable	6.9
Propoxur	112.6	114.2	115	97.9	99.3	Acceptable	Acceptable	1.4
Pyrethrins	84.4	85.3	115	73.4	74.2	Acceptable	Acceptable	1.1
Pyridaben	109.8	116.7	115	95.5	101.5	Acceptable	Acceptable	6.1
Spinosad	58.8	60.3	115	51.1	52.4	Acceptable	Acceptable	2.5
Spiromesifen	121.5	117.7	115	105.7	102.3	Acceptable	Acceptable	3.2
Spirotetramat	79.4	92.3	115	69	80.3	Acceptable	Acceptable	15
Spiroxamine	17.2	18.4	115	15	16	Acceptable	Acceptable	6.7
Tebuconazole	101.7	98.1	115	88.4	85.3	Acceptable	Acceptable	3.6
Thiacloprid	143.8	141.5	115	125	123	Acceptable	Acceptable	1.6
Thiamethoxam	119.4	114	115	103.8	99.1	Acceptable	Acceptable	4.6
Trifloxystrobin	108.7	109.9	115	94.5	95.6	Acceptable	Acceptable	1.1

2412 W 11th Ave.
Eugene, OR 97402
(541) 735-3328
<http://www.oganalytical.com>



OLCC Marijuana Laboratory License: License # 1002766BA93

Rodger Voelker, Ph.D
Lab Director

Confident Cannabis
All Rights Reserved
(866) 506-5866

www.confidentcannabis.com



Values reported relate only to the product tested. OG Analytical makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any analyte. This Certificate shall not be reproduced except in full, without the written approval of OG Analytical. In accordance to OAR-333-007 OG Analytical is accredited under the 2009 TNI standards to perform the following tests: Pesticides, Potency, Residual Solvents, Moisture, and Water Activity on Cannabis and Cannabis products.